

---

# **test-rtd Documentation**

***Release***

**Waliaula Makokha**

**Nov 08, 2017**



---

## Contents:

---

<b>1</b>	<b>Indices and tables</b>	<b>1</b>
<b>2</b>	<b>Custom Sections</b>	<b>3</b>
<b>3</b>	<b>Images</b>	<b>5</b>
<b>4</b>	<b>Named Links</b>	<b>7</b>
<b>5</b>	<b>Anonymous Links</b>	<b>9</b>
<b>6</b>	<b>Literal Blocks</b>	<b>11</b>



# CHAPTER 1

---

## Indices and tables

---

- `genindex`
- `modindex`
- `search`



## CHAPTER 2

---

### Custom Sections

---

- A bullet list item
  - **Second item**
    - A sub item
  - Spacing between items create separate lists
  - Third Item
1. An enumerated list item
  2. **Second item** a) Sub item that goes on at length and thus needs to be wrapped. Note the indentation that must match the beginning of the text, not the enumerator
    - i) List items can even include paragraph breaks
  3. Third item
  4. Another enumerated list item
  5. Second item





## CHAPTER 3

### Images





## CHAPTER 4

---

### Named Links

---

A sentence with links to [Wikipedia](#) and the [Linux kernel archive](#).



## CHAPTER 5

---

### Anonymous Links

---

Another sentence with an [anonymous link](#) to the Python website.



## CHAPTER 6

---

### Literal Blocks

---

```
Some literal text
```

This may also be used inline at the end of a paragraph, like so:

```
Some more literal text
```

```
import math
print('A literal block explicitly marked as Python code')
```